



Analytical Results

Report Number : 18-122090
Report Date : 05/18/2018

258 W. Turbo, San Antonio, TX, 78216 Phone:210-308-0675 Fax:210-308-8730

Customer : Southeastern Sea Products

Contact : Kathryn Leedy
 1500 Maple Ave

Melbourne, FL, 32935

Phone : 321-259-1914

Fax : 321-259-5632

Samples Received : 04/24/2018

Start of Testing : 04/24/2018

PO Number :

Billing Code	Sample Date	Sample Number	Sample Description	Analysis - FSNS Method Number	Result	Units
CLO07	04/24/2018	001	Oysters - Day 1 Composite: None	Clostridium botulinum (FDA-BAM)	Negative	
CLO07	04/24/2018	002	Oysters - Day 1 Composite: None	Clostridium botulinum (FDA-BAM)	Negative	
CLO07	04/24/2018	003	Oysters - Day 2 Composite: None	Clostridium botulinum (FDA-BAM)	Negative	
CLO07	04/24/2018	004	Oysters - Day 2 Composite: None	Clostridium botulinum (FDA-BAM)	Negative	
CLO07	04/24/2018	005	Oysters - Day 3 Composite: None	Clostridium botulinum (FDA-BAM)	Negative	
CLO07	04/24/2018	006	Oysters - Day 3 Composite: None	Clostridium botulinum (FDA-BAM)	Negative	
SLS01	04/24/2018	007	SLS01 Composite: None	Real Time Shelf Life Study	Appended	

Customer : Southeastern Sea Products	Report Number : 18-122090	Report Date : 05/18/2018
--------------------------------------	---------------------------	--------------------------


Billing Code	Sample Date	Sample Number	Sample Description	Analysis - FSNS Method Number	Result	Units
--------------	-------------	---------------	--------------------	-------------------------------	--------	-------

Sample Temperature Upon Receipt : 1.4 deg C

Remarks :

All results contained in the above report relate only to the items tested. All Samples Received in Satisfactory Condition Unless Noted Otherwise. For Questions or Comments Contact : Greg Havemann 210-308-0675 or Greg.Havemann@fsns.com

First Approval By : Erika Soria

Signature : 

Second Approval By : Melanie Reid

Signature : 