



## Analytical Results

Report Number : 18-207916  
Report Date : 08/01/2018

258 W. Turbo, San Antonio, TX, 78216 Phone:210-308-0675 Fax:210-308-8730

Customer : Southeastern Sea Products

Contact : Kathryn Leedy  
1500 Maple Ave

Melbourne, FL, 32935

Phone : 321-259-1914

Fax : 321-259-5632

Samples Received : 07/12/2018

Start of Testing : 07/12/2018

PO Number :

Billing Code	Sample Date	Sample Number	Sample Description	Analysis - FSNS Method Number	Result	Units
CLO07	07/10/2018	001	Fresh Clams (Reduced Oxygen)	Clostridium botulinum (FDA-BAM)	Negative	
			Composite: None			
LS68	07/10/2018	001		Listeria spp. FSNS #14.12 (GDS-AOAC-RI 070701) 25g	Negative	25 gram
SAL77	07/10/2018	001		Salmonella FSNS #38.2 (GDS-AOAC 2009.03) 25g	Negative	25 gram

Sample Temperature Upon Receipt : 1.4 deg C

Remarks :

All results contained in the above report relate only to the items tested. All Samples Received in Satisfactory Condition Unless Noted Otherwise. For Questions or Comments Contact : Josh Collins 210-308-0675 or joshua.collins@fsns.com

First Approval By : Charles Hudson

Signature :

Second Approval By : Alexa Saldivar

Signature :